

PERGOLA SUNION

Pokretna tekstilna pergola
Retractable textile pergola



Pergola SUNION predstavlja najoptimalnije rešenje za zaštitu od kiše i sunca tokom cele godine. Konstrukcija je naparavljena od aluminijuma sa integrisanim sistemom odvođenja vode. Membrana pergole SUNION je 100% vodootporna i može biti izradena od materijala koji zamračuje (PVC) ili propušta svetlost (SPW96).

SUNION Pergola is the most optimal solution for rain and sun protection all year round. The construction is made of aluminum with an integrated drainage system. The SUNION pergola membrane is 100% waterproof and can be made of opaque material (Sattler PVC) or translucent (Serge Ferrari W96).

PERGOLA SUNION

Pokretna tekstilna pergola
Retractable textile pergola

Tehničke specifikacije


Technical specifications



Aksonometrija
Axonometric view



Detalj konstrukcije
Construction detail



Stub/column

Greda/beam

Profili

Profiles

Max širina		
Max width		13.5m
Max dužina		
Max projection		8.5m
Veličina greda		
Beam size	83.5/160mm	110/160mm
Veličina stuba		
Column size	83.5/120mm	110/160mm
Odvod vode		Da
Roof drainage		Yes
Pogon	motor sa daljinskom komandom	
Drive	motor with remote	
Standardne boje	RAL DB703 antracit, 9001 krem-bela	
Standard colors	RALDB703 anthracite, 9001 cream-white	
	druge boje na zahtev / other colors on request	

PERGOLA SUNION

Pokretna tekstilna pergola
Retractable textile pergola

Dodatna oprema Additional accessories



ZIP-skrin zaštita od sunca
ZIP-screen solar protection



LED rasveta
LED light system



Stakleni paneli - singl fiksni i pokretni sistemi
Glass panels - single fix and movable systems



Stakleni paneli - dvostruki i trostruki sistemi
Glass panels - double and triple systems

PERGOLA SUNION

Pokretna tekstilna pergola
Retractable textile pergola

Tekstilna membrana Textile membrane




B 8118/7500




B 8118/1622




B 8118/9002



B 8118/7024



B 8118/6028



B 8118/7999



W96-8102



W96-1103



W96-8861



W96-2171



W96-2047